

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	335	374/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 12:14
L2	464	374/170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 13:22
L4	86	374/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 11:58
L5	162	374/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 11:58
L6	81	374/173.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 11:58
L7	646	327/512.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 11:58
L8	186	257/470.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 11:58
L9	92	374/178.ccls. and (ratio\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 12:14
L10	24	374/178.ccls. and current and voltage and average	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:36

L11	46	327/512.ccls. and current and voltage and average	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:15
L12	10	257/470.ccls. and current and voltage and average	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:15
L14	29	374/178.ccls. and current and voltage and averag\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:38
L15	10	257/470.ccls. and current and voltage and averag\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:37
L16	48	327/512.ccls. and current and voltage and averag\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:37
L17	85	374/178.ccls. and current and voltage and ratio\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:39
L18	193	327/512.ccls. and current and voltage and ratio\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:40
L19	36	257/470.ccls. and current and voltage and ratio\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:39
L20	178	327/512.ccls. and current and voltage and ratio\$1 and transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:40
L21	1	"5744999".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:10
L22	1	"5686825".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:11
L23	1	"5663674".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:11

L24	1	"5652538".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:11
L25	1	"5608348".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:11
L26	1	"5589789".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:12
L27	1	"5422832".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:12
L28	1	"4970497".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:13
L29	1	"4970497".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:13
L30	1	"4243898".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:13
L31	1	"4224537".PN.	USPAT; USOCR	OR	OFF	2004/12/07 13:13
L32	116	374/170.ccls. and transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 14:16
L33	151	("PTAT" or (proportional adj2 temperature)) and voltage and digit\$9 and averag\$4 and ratio\$1 and temperature and chip and (current adj source) and (switch\$3 or shuffl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 13:26
L34	151	("PTAT" or (proportional adj2 temperature)) and voltage and digit\$9 and averag\$4 and ratio\$1 and temperature and chip and (current adj source) and (switch\$3 or shuffl\$4) and circuit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 13:27
L35	139	("PTAT" or (proportional adj2 temperature)) and voltage and digit\$9 and averag\$4 and ratio\$1 and temperature and chip and (current adj source) and (switch\$3 or shuffl\$4) and circuit\$3 and transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 13:29
L36	139	("PTAT" or (proportional adj2 temperature)) and voltage and digit\$9 and averag\$4 and ratio\$1 and temperature and chip and (current adj source) and (switch\$5 or shuffl\$4) and circuit\$3 and transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 13:30

L37	52	("374"/\$.ccls. or "327"/\$.ccls. or "257"/\$.ccls.) and ("PTAT" or (proportional adj2 temperature)) and voltage and digit\$9 and averag\$4 and ratio\$1 and temperature and chip and (current adj source) and (switch\$5 or shuffl\$4) and circuit\$3 and transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 13:32
L38	42	("374"/\$.ccls. or "327"/\$.ccls. or "257"/\$.ccls.) and ("PTAT" or (proportional adj2 temperature)) and voltage and digit\$9 and averag\$4 and ratio\$1 and temperature and chip and (current adj source) and (switch\$5 or shuffl\$4) and circuit\$3 and transistor\$1 and pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 13:58
L40	0	("374"/\$.ccls. or "327"/\$.ccls. or "257"/\$.ccls.) and ("PTAT" adj voltage) and (converter NEAR digital) and averag\$3 and ((current adj source) NEAR array) and transistor and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:02
L41	0	("374"/\$.ccls. or "327"/\$.ccls. or "257"/\$.ccls.) and ("PTAT" NEAR voltage) and (converter) and digit\$8 and averag\$3 and ((current adj source) NEAR array) and transistor and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:03
L42	1	("374"/\$.ccls. or "327"/\$.ccls. or "257"/\$.ccls.) and ("PTAT" NEAR voltage) and (converter) and digit\$8 and averag\$3 and ((current adj source)) and transistor and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:05
L43	10	("374"/\$.ccls. or "327"/\$.ccls. or "257"/\$.ccls.) and ("PTAT") and (converter) and digit\$8 and averag\$3 and ((current adj source)) and transistor and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:06
L45	20	374/170.ccls. and transistor\$1 and pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:16